




# LIGHT COMMERCIAL OUTSWING DOOR

SIZE TABLE  
ALUMINUM CLAD WOOD - 3/4 LITE / RAISED WOOD PANEL



SIZE	2/6	3/0	3/6	5/0	6/0	7/0
*RO	2'-8 <sup>5</sup> / <sub>8</sub> "	3'-2 <sup>5</sup> / <sub>8</sub> "	3'-8 <sup>5</sup> / <sub>8</sub> "	5'-2 <sup>11</sup> / <sub>16</sub> "	6'-2 <sup>11</sup> / <sub>16</sub> "	7'-2 <sup>11</sup> / <sub>16</sub> "
*FS	2'-7 <sup>5</sup> / <sub>8</sub> "	3'-1 <sup>5</sup> / <sub>8</sub> "	3'-7 <sup>5</sup> / <sub>8</sub> "	5'-1 <sup>11</sup> / <sub>16</sub> "	6'-1 <sup>11</sup> / <sub>16</sub> "	7'-1 <sup>11</sup> / <sub>16</sub> "
*GS	1'-8 <sup>1</sup> / <sub>8</sub> "	2'-2 <sup>1</sup> / <sub>8</sub> "	2'-8 <sup>1</sup> / <sub>8</sub> "	1'-8 <sup>1</sup> / <sub>8</sub> "	2'-2 <sup>1</sup> / <sub>8</sub> "	2'-8 <sup>1</sup> / <sub>8</sub> "



NOT TO SCALE  
OPERATION IS VIEWED FROM EXTERIOR. HINGE SIDE MUST BE SPECIFIED WHEN ORDERING A SINGLE WIDE DOOR.  
SIZES GIVEN ARE FOR UNITS WITH RIM DEVICE TYPE HARDWARE. SUBTRACT <sup>3</sup>/<sub>16</sub>" FROM WIDTH OF FRAME FOR DOUBLE DOOR UNITS WITH MULTI-POINT HARDWARE. ADDITIONAL SIZES ARE AVAILABLE UPON REQUEST (2068 TO 3680, 4068 TO 7080).

\* RO - OPENING, FS - FRAME SIZE, GS - GLASS SIZE.

# LIGHT COMMERCIAL OUTSWING DOOR

SIZE TABLE  
ALUMINUM CLAD WOOD - 1/2 LITE / RAISED WOOD PANEL




SIZE	2/6	3/0	3/6	5/0	6/0	7/0
*RO	2'-8 <sup>5</sup> / <sub>8</sub> "	3'-2 <sup>5</sup> / <sub>8</sub> "	3'-8 <sup>5</sup> / <sub>8</sub> "	5'-2 <sup>11</sup> / <sub>16</sub> "	6'-2 <sup>11</sup> / <sub>16</sub> "	7'-2 <sup>11</sup> / <sub>16</sub> "
*FS	2'-7 <sup>5</sup> / <sub>8</sub> "	3'-1 <sup>5</sup> / <sub>8</sub> "	3'-7 <sup>5</sup> / <sub>8</sub> "	5'-1 <sup>11</sup> / <sub>16</sub> "	6'-1 <sup>11</sup> / <sub>16</sub> "	7'-1 <sup>11</sup> / <sub>16</sub> "
*GS	1'-8 <sup>1</sup> / <sub>8</sub> "	2'-2 <sup>1</sup> / <sub>8</sub> "	2'-8 <sup>1</sup> / <sub>8</sub> "	1'-8 <sup>1</sup> / <sub>8</sub> "	2'-2 <sup>1</sup> / <sub>8</sub> "	2'-8 <sup>1</sup> / <sub>8</sub> "


  

6/8	6'-9 <sup>1</sup> / <sub>16</sub> "						
	6'-8 <sup>9</sup> / <sub>16</sub> "	2668	3068	3668	5068	6068	7068
	2'-6 <sup>3</sup> / <sub>4</sub> "						
7/0	7'-1 <sup>1</sup> / <sub>16</sub> "						
	7'-0 <sup>9</sup> / <sub>16</sub> "	2670	3070	3670	5070	6070	7070
	2'-10 <sup>3</sup> / <sub>4</sub> "						
8/0	8'-0 <sup>1</sup> / <sub>2</sub> "						
	8'-0"	2680	3080	3680	5080	6080	7080
	3'-10 <sup>3</sup> / <sub>16</sub> "						

### OPTIONAL STYLES



### HINGING, AS VIEW FROM THE EXTERIOR



NOT TO SCALE

OPERATION IS VIEWED FROM EXTERIOR. HINGE SIDE MUST BE SPECIFIED WHEN ORDERING A SINGLE WIDE DOOR.

SIZES GIVEN ARE FOR UNITS WITH RIM DEVICE TYPE HARDWARE. SUBTRACT <sup>3</sup>/<sub>16</sub>" FROM WIDTH OF FRAME FOR DOUBLE DOOR UNITS WITH MULTI-POINT HARDWARE. ADDITIONAL SIZES ARE AVAILABLE UPON REQUEST (2068 TO 3680, 4068 TO 7080).

\* RO - OPENING, FS - FRAME SIZE, GS - GLASS SIZE.

# LIGHT COMMERCIAL OUTSWING DOOR


SIZE TABLE  
ALUMINUM CLAD WOOD - FULL VIEW



SIZE	2/6	3/0	3/6	5/0	6/0	7/0
*RO	2'-8 <sup>5</sup> / <sub>8</sub> "	3'-2 <sup>5</sup> / <sub>8</sub> "	3'-8 <sup>5</sup> / <sub>8</sub> "	5'-2 <sup>11</sup> / <sub>16</sub> "	6'-2 <sup>11</sup> / <sub>16</sub> "	7'-2 <sup>11</sup> / <sub>16</sub> "
*FS	2'-7 <sup>5</sup> / <sub>8</sub> "	3'-1 <sup>5</sup> / <sub>8</sub> "	3'-7 <sup>5</sup> / <sub>8</sub> "	5'-1 <sup>11</sup> / <sub>16</sub> "	6'-1 <sup>11</sup> / <sub>16</sub> "	7'-1 <sup>11</sup> / <sub>16</sub> "
*GS	1'-8 <sup>1</sup> / <sub>8</sub> "	2'-2 <sup>1</sup> / <sub>8</sub> "	2'-8 <sup>1</sup> / <sub>8</sub> "	1'-8 <sup>1</sup> / <sub>8</sub> "	2'-2 <sup>1</sup> / <sub>8</sub> "	2'-8 <sup>1</sup> / <sub>8</sub> "

6/8	6'-9 <sup>1</sup> / <sub>16</sub> "						
	6'-8 <sup>9</sup> / <sub>16</sub> "	2668	3068	3668	5068	6068	7068
	5'-0 <sup>3</sup> / <sub>8</sub> "						
7/0	7'-1 <sup>1</sup> / <sub>16</sub> "						
	7'-0 <sup>9</sup> / <sub>16</sub> "	2670	3070	3670	5070	6070	7070
	5'-4 <sup>3</sup> / <sub>8</sub> "						
8/0	8'-0 <sup>1</sup> / <sub>2</sub> "						
	8'-0"	2680	3080	3680	5080	6080	7080
	6'-3 <sup>13</sup> / <sub>16</sub> "						



NOT TO SCALE

OPERATION IS VIEWED FROM EXTERIOR. HINGE SIDE MUST BE SPECIFIED WHEN ORDERING A SINGLE WIDE DOOR.

SIZES GIVEN ARE FOR UNITS WITH RIM DEVICE TYPE HARDWARE. SUBTRACT <sup>3</sup>/<sub>16</sub>" FROM WIDTH OF FRAME FOR DOUBLE DOOR UNITS WITH MULTI-POINT HARDWARE. ADDITIONAL SIZES ARE AVAILABLE UPON REQUEST (2068 TO 3680, 4068 TO 7080).


\* RO - OPENING, FS - FRAME SIZE, GS - GLASS SIZE.

# LIGHT COMMERCIAL OUTSWING DOOR

SIZE TABLE  
ALUMINUM CLAD WOOD - SIDELITE



SIZE	1/0	1/4	1/6	1/8
*RO	1'-2 $\frac{5}{8}$ "	1'-6 $\frac{5}{8}$ "	1'-8 $\frac{5}{8}$ "	1'-10 $\frac{5}{8}$ "
*FS	1'-1 $\frac{5}{8}$ "	1'-5 $\frac{5}{8}$ "	1'-7 $\frac{5}{8}$ "	1'-9 $\frac{5}{8}$ "
*GS	0'-8 $\frac{5}{8}$ "	1'-0 $\frac{5}{8}$ "	1'-2 $\frac{5}{8}$ "	1'-4 $\frac{5}{8}$ "
6/8	6'-9 $\frac{1}{16}$ "			
	6'-8 $\frac{3}{16}$ "			
	5'-0 $\frac{3}{8}$ "			
7/0	7'-1 $\frac{1}{16}$ "			
	7'-0 $\frac{9}{16}$ "			
	5'-4 $\frac{3}{8}$ "			
8/0	8'-0 $\frac{1}{2}$ "			
	8'-0"			
	6'-3 $\frac{13}{16}$ "			



















































NOT TO SCALE  
ADDITIONAL SIZES MAY BE AVAILABLE UPON REQUEST (1068 TO 1880).

\* RO - OPENING, FS - FRAME SIZE, GS - GLASS SIZE.

# LIGHT COMMERCIAL OUTSWING DOOR

SIZE TABLE  
ALUMINUM CLAD WOOD - TRANSOM



SIZE	2/6	3/0	3/6	5/0	6/0	7/0		
*RO	2'-8 <sup>5</sup> / <sub>8</sub> "	3'-2 <sup>5</sup> / <sub>8</sub> "	3'-8 <sup>5</sup> / <sub>8</sub> "	5'-2 <sup>11</sup> / <sub>16</sub> "	6'-2 <sup>11</sup> / <sub>16</sub> "	7'-2 <sup>11</sup> / <sub>16</sub> "		
*FS	2'-7 <sup>5</sup> / <sub>8</sub> "	3'-1 <sup>5</sup> / <sub>8</sub> "	3'-7 <sup>5</sup> / <sub>8</sub> "	5'-1 <sup>11</sup> / <sub>16</sub> "	6'-1 <sup>11</sup> / <sub>16</sub> "	7'-1 <sup>11</sup> / <sub>16</sub> "		
*GS	2'-2 <sup>3</sup> / <sub>4</sub> "	2'-8 <sup>3</sup> / <sub>4</sub> "	3'-2 <sup>3</sup> / <sub>4</sub> "	2'-2 <sup>3</sup> / <sub>4</sub> "	2'-8 <sup>3</sup> / <sub>4</sub> "	3'-2 <sup>3</sup> / <sub>4</sub> "		
1/0	1'-0 <sup>1</sup> / <sub>2</sub> " 1'-0"	7 <sup>7</sup> / <sub>8</sub> "						
1/2	1'-2 <sup>1</sup> / <sub>2</sub> " 1'-2"	9 <sup>1</sup> / <sub>8</sub> "						
1/6	1'-6 <sup>1</sup> / <sub>2</sub> " 1'-6"	1'-1 <sup>1</sup> / <sub>8</sub> "						
1/8	1'-8 <sup>1</sup> / <sub>2</sub> " 1'-8"	1'-3 <sup>1</sup> / <sub>8</sub> "						
1/0	1'-0 <sup>1</sup> / <sub>2</sub> " 1'-0"	7 <sup>7</sup> / <sub>8</sub> "						
1/2	1'-2 <sup>1</sup> / <sub>2</sub> " 1'-2"	9 <sup>1</sup> / <sub>8</sub> "						
1/6	1'-6 <sup>1</sup> / <sub>2</sub> " 1'-6"	1'-1 <sup>1</sup> / <sub>8</sub> "						
1/8	1'-8 <sup>1</sup> / <sub>2</sub> " 1'-8"	1'-3 <sup>1</sup> / <sub>8</sub> "						

NARROW  
STILE

WIDE  
STILE

NOT TO SCALE

SIZES GIVEN ARE FOR TRANSOMS MULLED ABOVE UNITS WITH RIM DEVICE TYPE HARDWARE. SUBTRACT <sup>3</sup>/<sub>16</sub>" FROM WIDTH OF FRAME FOR TRANSOM MULLED ABOVE DOUBLE DOOR UNITS WITH MULTIPOINT HARDWARE.  
ADDITIONAL SIZE MAY BE AVAILABLE UPON REQUEST.

\* RO - OPENING, FS - FRAME SIZE, GS - GLASS SIZE.

# LIGHT COMMERCIAL OUTSWING DOOR

SIZE TABLE  
ALUMINUM CLAD WOOD - TRANSOM



SIZE	5/0	6/0	7/0	1/0	1/4	1/6	1/8		
*RO	5'-2 <sup>11</sup> / <sub>16</sub> "	6'-2 <sup>11</sup> / <sub>16</sub> "	7'-2 <sup>11</sup> / <sub>16</sub> "	1'-2 <sup>5</sup> / <sub>8</sub> "	1'-6 <sup>5</sup> / <sub>8</sub> "	1'-8 <sup>5</sup> / <sub>8</sub> "	1'-10 <sup>5</sup> / <sub>8</sub> "		
*FS	5'-1 <sup>11</sup> / <sub>16</sub> "	6'-1 <sup>11</sup> / <sub>16</sub> "	7'-1 <sup>11</sup> / <sub>16</sub> "	1'-1 <sup>5</sup> / <sub>8</sub> "	1'-5 <sup>5</sup> / <sub>8</sub> "	1'-7 <sup>5</sup> / <sub>8</sub> "	1'-9 <sup>5</sup> / <sub>8</sub> "		
*GS	4'-8 <sup>13</sup> / <sub>16</sub> "	5'-8 <sup>13</sup> / <sub>16</sub> "	6'-8 <sup>13</sup> / <sub>16</sub> "	0'-8 <sup>3</sup> / <sub>4</sub> "	1'-0 <sup>3</sup> / <sub>4</sub> "	1'-2 <sup>3</sup> / <sub>4</sub> "	1'-4 <sup>3</sup> / <sub>4</sub> "		
1/0	1'-0 <sup>1</sup> / <sub>2</sub> " 1'-0"	7 <sup>7</sup> / <sub>8</sub> "							
	5010	6010	7010	1010	1410	1610	1810		
1/2	1'-2 <sup>1</sup> / <sub>2</sub> " 1'-2"	9 <sup>1</sup> / <sub>8</sub> "							
	5012	6012	7012	1012	1412	1612	1812		
1/6	1'-6 <sup>1</sup> / <sub>2</sub> " 1'-6"	1'-1 <sup>1</sup> / <sub>8</sub> "							
	5016	6016	7016	1016	1416	1616	1816		
1/8	1'-8 <sup>1</sup> / <sub>2</sub> " 1'-8"	1'-3 <sup>1</sup> / <sub>8</sub> "							
	5018	6018	7018	1018	1418	1618	1818		
<hr/>									
1/0	*GS 4'-2 <sup>5</sup> / <sub>16</sub> "	5'-2 <sup>5</sup> / <sub>16</sub> "	6'-2 <sup>5</sup> / <sub>16</sub> "						
	5010	6010	7010						
1/2	1'-2 <sup>1</sup> / <sub>2</sub> " 1'-2"	9 <sup>1</sup> / <sub>8</sub> "							
	5012	6012	7012						
1/6	1'-6 <sup>1</sup> / <sub>2</sub> " 1'-6"	1'-1 <sup>1</sup> / <sub>8</sub> "							
	5016	6016	7016						
1/8	1'-8 <sup>1</sup> / <sub>2</sub> " 1'-8"	1'-3 <sup>1</sup> / <sub>8</sub> "							
	5018	6018	7018						

NARROW  
STILE

WIDE  
STILE

NOT TO SCALE

SIZES GIVEN ARE FOR TRANSOMS MULLED ABOVE UNITS WITH RIM DEVICE TYPE HARDWARE. SUBTRACT <sup>3</sup>/<sub>16</sub>" FROM WIDTH OF FRAME FOR TRANSOM MULLED ABOVE DOUBLE DOOR UNITS WITH MULTIPOINT HARDWARE.  
ADDITIONAL SIZE MAY BE AVAILABLE UPON REQUEST.

\* RO - OPENING, FS - FRAME SIZE, GS - GLASS SIZE.