

STRUCTURAL PERFORMANCE

Direct Set Windows (not listed)

Product	WDMA Hallmark CCL #	Rating	Size	Standard
100 Wood Direct Set	-	PG50	72x72in	101/I.S.2/A440-05
200 Cellular PVC Exterior / Wood Interior Direct Set	-	PG90	72x72in	101/I.S.2/A440-05
300 Aluminum Clad Wood Direct Set	-	PG65	72x72in	101/I.S.2/A440-05
300 Aluminum Clad Wood with Sash Set	-	PG60	72x72in	101/I.S.2/A440-05

400 Series Aluminum Clad Wood Casement Picture

Hallmark CCL

Product	WDMA Hallmark CCL #	Rating	Size	Standard
400 Aluminum Clad Wood Casement Picture	0830-H-001.00	CW-PG35	72x72in	101/I.S.2/A440-11
400 Aluminum Clad Wood Casement Picture-HP	0830-H-001.01	CW-PG50	72x72in	101/I.S.2/A440-11
400 Aluminum Clad Wood Casement Picture-Impact	0830-H-001.02	CW-PG80	48x72in	101/I.S.2/A440-11
400 Aluminum Clad Wood Casement Picture-Impact	0830-H-001.03	DP80 Missile D Wind Zone 4	48x72in	ASTM E-1996-12 ASTM E-1886-05
400 Aluminum Clad Wood Casement Picture-Impact	0830-H-001.04	DP80	48x72in	TAS 201/202/203-94

*Hallmark listing can be verified in WDMA's Hallmark Certified Products list, <http://www.wdma.amscert.com/>

Florida Product Approval

Product	FL #	Rating	Size	Standard
400 Aluminum Clad Wood Casement Picture-Impact	16796.1	DP80, HVHZ	48x72in	101/I.S.2/A440-08 ASTM E-1886-05 ASTM E-1996-09 TAS 201/202/203-94
400 Aluminum Clad Wood Casement Picture	16796.2	DP80	72x72in	101/I.S.2/A440-08 TAS 201-94

*Florida approval number can be verified on Florida Building Code Online, <http://www.floridabuilding.org/>

STRUCTURAL PERFORMANCE

500 Series Aluminum Clad Commercial Outswing Door

Hallmark CCL

Product	WDMA Hallmark CCL #	Rating	Size	Standard
500 Aluminum Clad Wood Outswing Door-Fixed	0830-H-002.00	LC-PG50	37x96in	101/I.S.2/A440-11
500 Aluminum Clad Wood Outswing Door-Side Hinged	0830-H-002.01	LC-PG50	74x96in	101/I.S.2/A440-11
500 Aluminum Clad Wood Outswing Door-Mull	0830-H-002.02	LC-PG50	96in	101/I.S.2/A440-11
500 Aluminum Clad Wood Outswing Door-Impact-Fixed	0830-H-002.04	LC-PG50	37x96in	101/I.S.2/A440-11
500 Aluminum Clad Wood Outswing Door-Impact-Side Hinged	0830-H-002.03	LC-PG50	74x96in	101/I.S.2/A440-11
500 Aluminum Clad Wood Outswing Door-Impact-Mull	0830-H-002.05	LC-PG50	96in	101/I.S.2/A440-11
500 Aluminum Clad Wood Outswing Door-Impact-Fixed	0830-H-002.06	DP50 Missile D Wind Zone 4	37x96in	ASTM E-1996-12 ASTM E-1886-05
500 Aluminum Clad Wood Outswing Door-Impact-Side Hinged	0830-H-002.07	DP50 Missile D Wind Zone 4	74x96in	ASTM E-1996-12 ASTM E-1886-05
500 Aluminum Clad Wood Outswing Door-Impact-Mull	0830-H-002.08	DP50 Missile D Wind Zone 4	96in	ASTM E-1996-12 ASTM E-1886-05
500 Aluminum Clad Wood Outswing Door-Impact	0830-H-002.09	DP50 Missile D Wind Zone 4	111X96in	TAS 201/202/203-94
500 Aluminum Clad Wood Outswing Door-Impact, Rim Device and ADA Sill	0830-H-002.10	DP50 Missile D Wind Zone 4	74X96in	TAS 201/202/203-94

*Hallmark listing can be verified on WDMA's Hallmark Certified Products list, <http://www.wdma.amscert.com/>

Florida Product Approval

Product	FL #	Rating	Size	Standard
500 Aluminum Clad Wood Outswing Door	16795.1	DP50	111X96in	101/I.S.2/A440-08 TAS 201-94
500 Aluminum Clad Wood Outswing Door-Impact	16795.2	DP50, HVHZ	111X96in	101/I.S.2/A440-08 ASTM E-1886-05 ASTM E-1996-09 TAS 201/202/203-94

*Florida approval number can be verified at Florida Building Code Online, <http://www.floridabuilding.org/>